| _ | <u> </u> | | | | | | | | | | 17 | | | |
|---|---|--------------------------------------|---|--|--------------|--------------------|--------------------------------|--|------------|----------------------------|-----------|----------------|--|--|
| | Form F | 100 | 1449 | 9-A | | | 1210 | ET NO. | | Application No. 09/490,345 | | | | |
| R | 0 7 200 | 7 2001NFORMATION DISCLOSURE CITATION | | | | | | Roy Luedtke, Jr. and Douglas Paul Sprehe | | | | | | |
| | ADEMAS | aks | y (1 | Ise several sheets if nece | ssary) | | Filing Date Januar | y 24, 2000 | Group | Group Art Unit | | | | |
| ٦ | U.S. & FOREIGN | | | | | | | PATENT DOCUMENTS | | | | | | |
| ı | EXAMINER INITIAL | EXAMINER DOCUMENT NUMBER DATE | | | | | NAME CLASS SUB FILING CLA DATE | | | | | FILING DATE | | |
| ł | MA | + | + | 1 6 0 3 9 0 | | EPO Abs | l-act | | | 4016 | 7/00 | 11/6/85 | | |
| 1 6 0 3 9 0 EFO Abstract | | | | | | | | -1010 | //// | | | | | |
| OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.) | | | | | | | | | | | | | | |
| | A1 | An | Conger, B.V., et al. (1987) "Somatic Embryogenesis From Cultured Leaf Segments of Zea Mays", Plant Cell Reports, 6:345-347. | | | | | | | | | | | |
| | A2 | 1 | | Duncan, D.R., et al. (1985) "The Production of Callus Capable of Plant Regeneration From Immature Embryos of Numerous Zea Mays Genotypes", Planta, 165:322-332. | | | | | | | | | | |
| | A3 | 1 | | Edallo, et al. (1981) "Chromosomal Variation and Frequency of Spontaneous Mutation Associated with in Vitro Culture and Plant Regeneration in Maize", Maydica, XXVI: 39-56. | | | | | | | | | | |
| Ì | A4 | \parallel | +- | Green, et al., (1975) "Plant Regeneration From Tissue Cultures of Maize", Crop Science, Vol. 15, pp. 417-421. | | | | | | | | | | |
| | A5 | | | Green, C.E., et al. (1982) "Plant Regeneration in Tissue Cultures of Maize" Maize for Biological | | | | | | | | | | |
| ł | A6 Research, pp. 367-372. Hallauer, A.R. et al. (1988) "Corn Breeding" Corn and Corn Improvement, No. 18, pp. 463-481. | | | | | | | | | | | | | |
| A7 Meghji, M.R., et al. (1984). "Inbreeding Depression, Inbred & Hybrid Grain Yields, and Other | | | | | | | | | | raits of | | | | |
| l | | Ц | Maize Genotypes Representing Three Eras", Crop Science, Vol. 24, pp. 545-549. | | | | | | | | | | | |
| | A8 Phillips, et al. (1988) "Cell/Tissue Culture and In Vitro Manipulation", Corn & Corn Improvement, Ed., ASA Publication, No. 18, pp. 345-387. | | | | | | | | | <u>nt</u> , 3rd | | | | |
| Ì | A9 | | | Poehlman et al., (1995) Breeding Field Crop, 4th Ed., Iowa State University Press, Ames, IA., pp. 132-155 and 321-344. "Nolecular Biology: Application in Plant Breeding". In | | | | | | | | | | |
| | A10 | | | Rao, K.V., et al., (1986)"Somatic Embryogenesis in Glume Callus Cultures", Maize Genetics | | | | | | | | | | |
| ŀ | A11 | | | Cooperative Newsletter, No. 60, pp. 64-65 Sass, John F. (1977) "Morphology", Corn & Corn Improvement, ASA Publication. Madison, Wisconsin, | | | | | | | | | | |
| ł | A12 | | 1 | pp. 89-109. Songstad, D.D. et al. (1988) "Effect of ACC (1-aminocyclopropane-1-carboxyclic acid), Silver Nitrate & | | | | | | | | | | |
| Norbonadiene on Plant Regeneration From Maize Callus Cultures", Plant Cell Report | | | | | | | | | | | | | | |
| | A13 | | | Tomes, et al. (1985) "The Effect of Parental Genotype on Initiation of Embryogenic Callus From Elite Maize (Zea Mays L.) Germplasm", Theor. Appl. Genet., Vol. 70, p. 505-509. | | | | | | | | | | |
| | A14 |] | | Troyer, et al. (1985) "Selection for Early Flowering in Corn: 10 Late Synthetics", <u>Crop Science</u> , Vol. 25, pp. 695-697. | | | | | | | | | | |
| | A15 | | | Umbeck, et al. (1983) "Reversion of Male-Sterile T-Cytoplasm Maize to Male Fertility in Tissue Culture", Crop Science, Vol. 23, pp. 584-588. | | | | | | | | | | |
| Ì | A16 | П | | Wright, Harold (1980) "Commercial Hybrid Seed Production", Hybridization of Crop Plants, Ch. 8: 161-176. | | | | | | | | | | |
| Ì | A17 | Ħ | + | Wych, Robert D. (1988) "Production of Hybrid Seed", Corn and Corn Improvement, Ch. 9, pp. 565-607. | | | | | | | | | | |
| | A18 | П | | Lee, Michael (1994) "Inbred Lines of Maize and Their Molecular Markers", The Maize Handbook Ch. 65:423-432 | | | | | | | | | | |
| İ | A19 | | | Boppenmaier, et al., "Comparsons Among Strains of Inbreds for RFLPs", Maize Genetics Cooperative Newsletter, 65:1991, pg. 90 | | | | | | | | | | |
| j | A20 | V | 1 | Smith, J.S.C., et al., "The Identification of Female Selfs in Hybrid Maize: A Comparison Using Electrophoresis and Morphology", Seed Science and Technology 14, 1-8 | | | | | | | | | | |
| ŀ | EXAM | INE | Ŕ | / / / | -101pii | , 50ca | Colonice at | DATE CONSIDERED |) | | | | | |
| | | | 6 | | M | % | | 6/29/0 | 0) | | | | | |
| I | *EXAMINI | ER: | Initia | f citation considered, whether | or not citat | ion is in conforma | nce with MPER | P 609; Draw line through citation in | f not in c | onformanc | e and not | considered. | | |